

SensorServer

v1.8.8

This document summarizes the new features and fixes of this new release since v1.6.

Release Notes v1.8.8

Fixes:

- On new installations Start Menu icons are now correctly installed.

Release Notes v1.8.7

New Feature:

- Manual CSV Export download. Select the location, interval and start and date time for the required export.

Release Notes v1.8.6

Fixes:

- SNG Tool DHCP/Static selection. Network settings field are enabled again when selecting static configuration.
- USB Mem Import application configuration file follows webserver port configuration during setup.

Release Notes v1.8.5

New feature:

- SNG Tool improved
- Setup opens webbrowser after finishing installation with further instructions
- Setup checks if TCP port 80 is available for the SensorWebserver and switch to another port when in use

Fixes:

- CSV Export Configuration now handles correctly when 'space' and '_' characters are used in the name.
- CSV Export Configuration name can now have more than 8 characters
- CentralManagement Users page fixed. Now showing also Location Code in user Location List
- CentralManagement Location edit page layout fix for Google Chrome.

Release Notes v1.8.4

New feature:

- USB Sensor Configuration Tool contains Factory Reset option to reset the USB People Counter
- USB Sensor Configuration Tool now have its own application icon
- USB Mem Import Select All and Deselect All possibility
- USB Mem Import now also shows filenames
- USB Mem Import now have its own application icon
- USB Mem Import closes automatically after confirmation when ready

Fixes:

- USB Sensor Mem Import spelling error fixed
- Performance improvement when importing data from USB People Counter

Release Notes v1.8.2

New feature:

- Additional software for use with the USB People Counter (PRx10U2, PRx20U2)

Release Notes v1.8.1

New feature:

- SNG Tool v2

Release Notes v1.8

New features:

- Validating Locations not required anymore to make location visible in EasyReports
- Default SensorServer port (55555) configurable.
- Software version visible in CentralManagement
- Sensor version now visible in CentralManagement
- Database data visible in CentralManagement for system management
- Signal strength visible as small bargraph in CentralManagement
- Contact usage time added in EasyReport graphs for Contact Sensors
- Automatic Sensor archiving when reusing sensor on different location/position

Major fixes:

- SensorServer - Clock synchronisation
- SensorServer waits for database when starting
- CentralManagement Menu

Open:

- Italian translation
- German translation